



Interlaboratory Note



₁ is t Mill , J **,)**, **1** it f t 🚮 ****(10*σ*). ti f ý j iz¹" ¶i 1 infi₀ut 1 **t**t В tt u ۹°_f 6 i i di • u fit liti w y ff_st. I 1 1 xi ¶r w miati littuti ¶t i¶ liti 11 u Iz tti y , i ft t y 16 • B. • It it ٦ 4. • tu 🖌 t t ICP-MS, at i t ilty u¹ f ig I ti m/z, y t ť٩ t i 1 f i 1

titical (K tKg u)w u fft 1 hti 1 fihti 1 f t iti w ff yt ľ đ I. 1 t 1.I1 , t 1.it r t ti t ti t t 1.1 it r t ti I (Mill-Q SP ICP-MS w t , Ni I), t i t r u tific ti I(QL) it 3.33 t 🎙 (DL) w f

K 🧯

uti-1 t liti 1u¹ t SPE (Ct.N. SIC-331). It til 28 u¹ t tutt¹ iff til til 1 t¹ liti w₁u t 1 W f ¶ w ħ 1 1, Κĥ f

> ٩ ١ Of t ່ງ ເປັນ ເປັນ ta EDI t s ſ f N ti al ŧ ٩ ١, ١ ٦ uit f wt ti 116 while Fig. 4. t aty for the set of the set ſ i. u iti EDI w t 61 1 1 0.01 • T 0.01 L <1 µ, L f 6 Fg. 5 W t ľ

• u ti ity . 1 itiity fwtⁱift lu¹tⁱx, wtuity, wit att i uati iti iti lu¹tⁱx, wtuity, wit att i uati iti Buit-i a uati ity u ituu itwu¹t ut tu a i ti ity 1

۱

It is that the set of the set of

 $\begin{array}{c} \mathbf{i} \quad \mathbf{y} \cdot \mathbf{E} \quad \mathbf{i} \quad \mathbf{t} \quad \mathbf{u} \quad \mathbf{t} \quad \mathbf{u} \quad \mathbf{t} \quad \mathbf{i} \quad \mathbf{t} \quad \mathbf{y} \quad \mathbf{f} \quad \mathbf{v} \quad \mathbf{t} \quad \mathbf{i} \quad \mathbf{f} \quad \mathbf{v} \quad \mathbf{t} \quad \mathbf{i} \quad \mathbf{t} \quad \mathbf{f} \quad \mathbf{t} \quad \mathbf$

Nat t t 1 1 **, 6** figu ta 1 (Fig. 6), 1