James M. Jeffords
Vermont Legislative Research Service

Acinetobactor samples
to increased concentrations of pharmaceutical waste are more l
resistant (Guardabassi et al, 2008.). In Canada, male minnows ex
experienced feminization and became inter-sexed. However, the
onmental Protection Agency and Food and Drug Administration have found noDrug

Waste Accumulation

effluents enter water sources through several pathways. When a medication is not
etely absorbed in the body, it is released by a patient in his/her waste (Christenson,
It then enters the sewer system; however, modern sewer systems do not possess the
logy needed to breakdown organic waste, including pharmaceutical products.
onally, many individuals are left with excess medications either because they no longer
ey need to take them, or because their doctor prescribed a dose that was more than they
d. In this situation, individuals have historically been instructed to flush the medications
toilet to avoid the accidental poisoning of children or contributing to the illegal drug
t. Current federal guidelines maintain that flushing is an improper disposal technique;
er, the public has not been made properly aware of this change (US Office of National
ontrol Policy, 2007).

How Pharmaceuticals Enter the Water

Habits of the General Population

Most intentional human pharmaceutical waste likely comes from either the failure from patients to finish their prescribed medication, or

have to deal with issues separate from households and hospitals (Wu, 2009).” One example of a unique challenge to disposing of pharmaceutical waste lies in nursing home mobility. If a nursing home resident changes homes or passes away, to “avoid liability issues, most facilities will not transfer medications.” The protocol for these facilities left with large quantities of unused medications has previously been to flush them (EPA, 2008). A survey in Washington State found “over 65 percent of pharmaceutical waste was coming from ‘specialty outpatient’ facilities, over 20 percent from them20

residents (Thompson, 2008). The pills were to be incinerated through the Northwestern Medical Center; however the chief of police refused to hand the pills over after discovering that the waste disposal contractor that the hospital uses, National Waste Management, hauls the waste out of state, compromising the integrity of appropriate disposal. The pills are currently locked away in SACPD's evidence vault. The program has inspired other towns to take similar action. Burlington created their own drug repository program in October 2008 to deal with unwanted prescription drugs

Types of Collection Programs

Standards for safe pharmaceutical waste disposal in other states have focused on consumers' actions as well as procedural standards in hospitals, nursing homes, and other health care facilities. Other states have implemented programs for safe and environmentally friendly disposal alternatives to flushing

Christensen, Teirney. "Fish on Morphine: Protecting Wisconsin's Natural Resources Through a Comprehensive Plan for Proper Disposal of Pharmaceuticals." *Wisconsin Law Review* 2008 (2008): 142-62.

Environmental Protection Agency, US. "Frequently Asked Questions" *Pharmaceuticals and Personal Care Products.* Accessed10 Feb. 2009 http://epa.gov/ppcp/faq.html

Environmental Protection Agency, US. (2008). *Unused Pharmaceuticals in the Health Care Industry: Interim Report.* Accessed 3 February 2011. Retrieved From, http://water.epa.gov/scitech/swguidance/ppcp/upload/2010_1_11_ppcp_hcioutreach.pdf

Food and

http://www.ncbi.nlm.nih.gov/pubmed/8825752

Maine State Legislature. L.D. 1826 An Act to Encourage the Proper Disposal of Expired Pharmaceuticals. Sponsored by Senator Lynn Bromley. Introduced 1/8/2004. Accessed 10 February 2009 http://janus.state.me.us/legis/LawMakerWeb/externalsiteframe.asp?ID=280012218&LD=1826&Type=1&SessionID=5

Northwest Product Stewardship Council. "Pharmaceuticals and Product Stewardship: Other U.S. Programs" Updated 1/23/2009. Accessed 10 February 2009 http://www.productstewardship.net/productsPharmaceuticalsOtherUS.html

Office of National Drug Control Policy. February 2007. "Proper Disposal of Prescription Drugs". Accessed 10 February 2009 http://www.whitehousedrugpolicy.gov/publications/pdf/prescrip_disposal.pdf

Oliver, D & Chapman, A. (2003). "Final Report: Pharmaceutical Waste." *Local Hazardous Waste Management Program in King County, Washington.* Accessed 3 February 2011. http://www.govlink.org/hazwaste/publications/PharmaceuticalWasteSurvey.pdf

Pines, Eydie and Charlotte Smith. "Managing Pharmaceutical Waste" Hospitals for a Healthy Environment April 15, 2006. Accessed 10 February 2009 http://www.h2e-online.org/docs/h2epharmablueprint41506.pdf

Rubinstein, Lynn (2006, September). Operating Unwanted Medication Collections- A Legal and Safe Approach. Accessed January 29, 2009 http://www.nerc.org/documents/operating_unwanted_medication_collections_final_2006.pdf

Ruhoy, IS & Daughton, CG. (2007) "Types and Quantities of Leftover Drugs Entering the Environment via Disposal to Sewage - Revealed by Coroner Records." *Sci Total Environ*. (3)388:136- 147. Accessed 3 February 2011. http://www.epa.gov/esd/bios/daughton/EnvInt2008.pdf

Sanderson, H., Johnson, D. J., Wilson, C. J., Brain, R. A., & Solomon, K. R. (2003). "Probabilistic Hazards Assessment of Environmentally h Tt ft ap : 1 /

Schulman, L. J., Sargent, E. V., Naumann, B. D., Faria, E. C., Dolan, D. G., & Wargo, J. P. (2004) "A human health risk assessment of pharmaceuticals in the aquatic environment." *Human and Ecological Risk Assessment*, 2004. 8(4), p657-680.

Smith, Charlotte A. "Managing Pharmaceutical Waste." *Journal of the Pharmacy Society of Wisconsin* (2002): 17-22

Thompson, Leon (2008, September 17). St. Albans Launches