



Tab 1

---

---

---





Fixed-fixed (ff)

et al

Fixed-equiprobable (fe)

H

4








Fig. 4 Histogram of the standardized effect size (SES) for the V-ratio (fe) for 4000 randomizations. The x-axis represents the SES, ranging from -2 to 6, and the y-axis represents the frequency, ranging from 0 to 10. The distribution is centered around 0, with a peak frequency of 10 at SES = 0. A vertical dashed line is drawn at SES = 0. An inset bar chart shows the frequency distribution for SES values between 4 and 6, with a peak frequency of 8 at SES = 5.

Tab 3

	N
	4

...

... et al 4

ACKNOWLEDGEMENTS

...

REFERENCES

... Ecology 4

... Ecology and Evolution of Communities 4 444

... Analysis

... Oecologia

... Oecologia

... Ecology

... Ecol. Lett.

... Ecosim: Null Models Software for Ecology

... Oecologia

... Null Models in Ecology

... Ecology

... Am. Naturalist 4

... Clethrionomys glareolus

... J. Anim Ecol.

... Oecologia 4



Community Ecology, Pattern and Process  
Parasitology  
Siganus Dolgiatus  
Annu. Rev. Ecol. Syst  
Ecology  
Eptesicus fuscus  
Can. J. Zool.  
Ecology  
J. Biogeogr.  
Ecology  
Int. J. Parasitol.  
Polyporus  
betulinus  
J. Theoret. Biol.  
Am. Naturalist  
Nature  
Am. Naturalist  
Naturwissenschaftliche Rundschau  
Evol. Theory  
Oikos  
Oikos  
Ecology of Marine Parasites  
Parasitology

Int. J. Parasitol.  
Oikos  
Ecography  
Oikos  
Parasite Lives  
Lethrinus miniatus  
Int. J. Parasitol.  
Int. J. Parasitol.  
Int. J. Parasitol.  
Oecologia  
Ecology  
Contemporary Quantitative  
Ecology and Related Ecometrics